

NORSKAL

ENG

IN PARTNERSHIP WITH:

HARDOX®

WEAR PLATE

All our combi blades are made with HARDOX® 450 wear plates which can be confirmed by our partners and suppliers SSAB AB. From 2019 all combi blades are delivered with an official HARDOX® label to guarantee the highest quality.



High quality snowplough blades
for professional usage.

NORSKAL

www.norskal.com

SRC

Steel + Rubber + **Corundum**

SRC series blades are made for professional snow removing. They have the best price/duration ratio. SRC blades use sandwich technology which combines at least three materials for cleaning.

Between two HARDOX® wear plates a highly wear-resistant material corundum (surrounded in rubber) is used to slow down the wear of the steel plates.



SRC 25 (150)	(h = 150 mm)
SRC 25	(h = 190 mm)
SRC 36	(h = 190 mm)
SRC 36 (20°)	(h = 187 mm)
SRC 50	(h = 190 mm)
SRC ONEPLEX	(h = 200 mm)
SRC DUPLEX	(h = 200 mm)

WOLF

Steel + Rubber + **Wolfram Carbide**

WOLF series are made for extreme winter conditions where long driving is possible on very hard road materials. This is the model with longest duration per set. WOLF is a combination of sandwich technology and standard blades with carbide tips.

WOLF is using steel segments with wolfram-carbide tips. Segments are used to provide smoother driving.



WOLF 50 (h = 190 mm)

- * - All combi blades can be made up to 2000 mm in length.
- All combi blades are made from HARDOX® 450 (450 HB) wear plates.


Rubber / Rubber PRO blades

RUBBER PRO

Rubber + Corundum

Rubber + Steel

Rubber PRO are the newest products from NORSKAL made for wide range of snowploughs. This special models are used on light weight ploughs and vario ploughs.



FRK 42	(h = 170 mm)
FRC 42 (0)	(h = 195 mm)
FRC 42 (13)	(h = 195 mm)
RC 50 (corundum)	(h = 195 mm)
RCX 50	(h = 200 mm)
RS 40	(h = 150/200/250/300 mm)
RS 50	(h = 150/200/250/300 mm)

RUBBER

Rubber

RTX series also known as rubber blades are reinforced with high strength textile net. They can be used for airports.

RC 50 (rubber) is a special rubber blade for snowploughs with a fixed 13° or 15° angle. This blade can be also used on airports.



RTX 30	(h = 150/200/250/300 mm)
RTX 40	(h = 150/200/250/300 mm)
RTX 50	(h = 150/200/250/300 mm)
RC 50 (rubber)	(h = 195 mm)

Other products

GLIDING SHOE

Rubber + Steel + Corundum

SRC gliding shoe is a products compatible with SRC series of blades and can extend its life up to 30%. This gliding shoe is universal for wide range of snowploughs in Europe.



SRC - GLIDING SHOE

(Height = 165 mm)
(Hole (d) = 17 mm)
(Hole distance = 70 mm)



Our official distributor:

Gumix Elastor d.o.o.
Bana Josipa Jelačića 21
33411 Gradina
Croatia

